



GN 471 | Aluminum Crank Handles

Inch and Metric Size • With Through Round or Square Bore



ISO 9001 Supplier

RoHS Compliant

Crank body

Aluminum, black powder coated pebble finish

Contact face of hub machined

Revolving handle

Black nylon plastic with zinc-plated steel threaded spindle, see GN 598-KT series for further details, page 174.

Crank handles GN 471 are of modern design. Together with the plastic hand piece with zinc-plated threaded spindle, this assembly is rust free.

Crank handles GN 471 can also be supplied with revolving handle GN 598.1, which has a stainless steel threaded spindle.

Special inch and metric bores, squares, keyways, set screw holes, etc. available upon request.

6

Crank

Inch Table

Dimensions in: inches (millimeters)

Part Number	l	d ₁ Through Bore	s Through Square	d ₂	d ₃	h ₁	h ₂	h ₃	l ₃ Ø	l ₄	Handle Thread
3BB94	3.15	.375		.91	1.02	.94	.55	.55	.83	2.07	M6 x 1.0
3VB94	(80)		.375	(23)	(26)	(24)	(14)	(14)	(21)	(52.5)	
4BB95	3.94	.500		1.06	1.18	1.10	.67	.59	.91	2.66	M8 x 1.25
4VB95	(100)		.500	(27)	(30)	(28)	(17)	(15)	(23)	(67.5)	
2BB96	4.92	.315		1.26	1.38	1.34	.87	.71	1.02	3.25	M10 x 1.5
5BB96	(125)	.625		(32)	(35)	(34)	(22)	(18)	(26)	(82.5)	
5VB96			.625								
4BB97	6.30	.500		1.38	1.54	1.50	1.02	.71	1.02	3.25	M10 x 1.5
6BB97	(160)	.750		(35)	(39)	(38)	(26)	(18)	(26)	(82.5)	
6VB97			.750								

Metric Table

Dimensions in: millimeters (inches)

Part Number	l	d ₁ Through Bore	s Through Square	d ₂	d ₃	h ₁	h ₂	h ₃	l ₃ Ø	l ₄	Handle Thread
8MB94	80	8		23	26	24	14	14	21	52.5	M6 x 1.0
10MB94	(3.15)	10		(.91)	(1.02)	(.94)	(.55)	(.55)	(.83)	(2.07)	
10QB94			10								
12MB95	100	12		27	30	28	17	15	23	67.5	M8 x 1.25
12QB95	(3.94)		12	(1.06)	(1.18)	(1.10)	(.67)	(.59)	(.91)	(2.66)	
14MB96	125	14		32	35	34	22	18	26	82.5	M10 x 1.5
14QB96	(4.92)		14	(1.26)	(1.38)	(1.34)	(.87)	(.71)	(1.02)	(3.25)	
12MB97	160	12		35	39	38	26	18	26	82.5	M10 x 1.5
17MB97	(6.30)	17		(1.38)	(1.54)	(1.50)	(1.02)	(.71)	(1.02)	(3.25)	
17QB97			17								